

2018 UPDATE

## Coding for the Contraceptive Implant and IUDs

**CORRECT CODING** can result in more appropriate compensation for services and devices. To help practices receive appropriate payment for providing the contraceptive implant and intrauterine devices (IUDs), the American College of Obstetricians and Gynecologists' Long-Acting Reversible Contraception (LARC) Program, in collaboration with the ACOG Coding Department, has prepared this updated quick reference guide to coding for LARC methods. The information included in this guide is current as of May 9, 2018. For more information about the LARC Program and coding for LARC methods, go to <http://www.acog.org/larc>.

### Basic Contraceptive Implant Coding

The diagnostic coding will vary, but usually will be selected from the Z30.01- (encounter for initial prescription of contraceptives) and Z30.4- (encounter for surveillance of contraceptives) series in ICD-10-CM. These codes are:

- Z30.017** Encounter for initial prescription of implantable subdermal contraceptive  
This code is reported for the initial prescription, counseling, advice, and insertion of the implant, even when the insertion is performed at a separate encounter
- Z30.46** Encounter for surveillance of implantable subdermal contraceptive  
This code is reported for checking, reinsertion, or removal of the implant

The contraceptive implant is a single-rod etonogestrel-releasing contraceptive device inserted under the skin of the upper arm. The insertion and/or removal of the implant are reported using one of the following CPT (Current Procedural Terminology) codes:

- 11981** Insertion, non-biodegradable drug delivery implant  
**11982** Removal, non-biodegradable drug delivery implant  
**11983** Removal with reinsertion, non-biodegradable drug delivery implant

CPT procedure codes do not include the cost of the supply. Report the supply separately using a HCPCS (Healthcare Procedural Coding System) code:

- J7307** Etonogestrel (contraceptive) implant system, including implant and supplies

### Basic IUD Coding

Most IUD services will be linked to a diagnosis code from the Z30.01- (encounter for initial prescription of contraceptives) and Z30.43- (encounter for surveillance of intrauterine contraceptive device) series.

- Z30.014** Encounter for initial prescription of intrauterine contraceptive device  
This code includes the initial prescription of the IUD, counseling, and advice, but excludes the IUD insertion
- Z30.430** Encounter for insertion of intrauterine contraceptive device
- Z30.431** Encounter for routine checking of intrauterine contraceptive device
- Z30.432** Encounter for removal of intrauterine contraceptive device
- Z30.433** Encounter for removal and reinsertion of intrauterine contraceptive device

Intrauterine devices include the copper IUD and the hormonal IUDs. The insertion and/or removal of IUDs are reported using one of the following CPT codes:

- 58300** Insertion of IUD  
**58301** Removal of IUD

CPT procedure codes do not include the cost of the supply. Report the supply separately using a HCPCS code:

- J7296** Levonorgestrel-releasing intrauterine contraceptive system (Kyleena®), 19.5 mg (5 year duration)  
**J7297** Levonorgestrel-releasing intrauterine contraceptive system (Liletta®), 52 mg (4 year duration)  
**J7298** Levonorgestrel-releasing intrauterine contraceptive system (Mirena®), 52 mg (5 year duration)  
**J7300** Intrauterine copper contraceptive (Paragard®) (10 year duration)  
**J7301** Levonorgestrel-releasing intrauterine contraceptive system (Skyla®), 13.5 mg (3 year duration)

## Reporting Contraceptive Services with Other Services

**Under some circumstances, an Evaluation and Management (E/M) services code, a procedure code, and a HCPCS code may all be reported.**

ACOG Fellows and their staff can submit specific coding questions to the ACOG Department of Health Economics' coding ticket database at [acogcoding.freshdesk.com](http://acogcoding.freshdesk.com) or by fax to 202-484-7480. Questions are answered in the order received, usually within 1-3 weeks. There is no charge for this service, but no more than 3 questions per practice are to be submitted each month.

©2018 by the American College of Obstetricians and Gynecologists, 409 12th Street SW, PO Box 96920, Washington, DC 20090-6920.

This information is designed as an educational resource to aid clinicians in providing obstetric and gynecologic care, and use of this information is voluntary. This information should not be considered as inclusive of all proper treatments or methods of care or as a statement of the standard of care. It is not intended to substitute for the independent professional judgment of the treating clinician. Variations in practice may be warranted when, in the reasonable judgment of the treating clinician, such course of action is indicated by the condition of the patient, limitations of available resources, or advances in knowledge or technology. The American College of Obstetricians and Gynecologists reviews its publications regularly; however, its publications may not reflect the most recent evidence. Any updates to this document can be found on [www.acog.org](http://www.acog.org) or by calling the ACOG Resource Center.

While ACOG makes every effort to present accurate and reliable information, this publication is provided "as is" without any warranty of accuracy, reliability, or otherwise, either express or implied. ACOG does not guarantee, warrant, or endorse the products or services of any firm, organization, or person. Neither ACOG nor its officers, directors, members, employees, or agents will be liable for any loss, damage, or claim with respect to any liabilities, including direct, special, indirect, or consequential damages, incurred in connection with this publication or reliance on the information presented.

Individuals and groups providing patient care or clinical education in family planning have permission to copy all or any portion of this resource for noncommercial, educational purposes, provided that no modifications are made and proper attribution is given.

## E/M Services Code Only

**If a patient comes in to discuss contraception options but no procedure is provided at that visit:**

- If the discussion takes place during an annual preventive visit (99381-99387 or 99391-99397), it is included in the Preventive Medicine code. The discussion is not reported separately.
- If the discussion takes place during an E/M office or outpatient visit (99201-99215), an E/M services code may be reported if an E/M service (including history, physical examination, or medical decision making or time spent counseling) is documented. Link the E/M code to ICD-10-CM diagnosis code Z30.014 (encounter for initial prescription of intrauterine contraceptive device) or Z30.017 (encounter for initial prescription of implantable subdermal contraceptive) when applicable.

## E/M Services Code and Procedure Code

**If discussion of contraceptive options takes place during the same encounter as a procedure, such as insertion of a contraceptive implant or IUD, it may or may not be appropriate to report both an E/M services code and the procedure code:**

- If the clinician and patient discuss a number of contraceptive options, decide on a method, and then an implant or IUD is inserted during the visit, an E/M service may be reported, depending on the documentation.
- If the patient comes into the office and states, "I want an IUD," followed by a brief discussion of the benefits and risks and the insertion, an E/M service is not reported since the E/M services are minimal.
- If the patient comes in for another reason and, during the same visit, a procedure is performed, then both the E/M services code and procedure may be reported.

If reporting both an E/M service and a procedure, the documentation must indicate a significant, separately identifiable E/M service. The documentation must indicate either the key components (history, physical examination, and medical decision making) or time spent counseling. Counseling must be documented as more than 50% of the time spent face-to-face with the patient. Note the "typical times" listed in outpatient E/M services codes 99201-99215. For example, if an established patient is seen for 25 minutes, including 15 minutes spent counseling, report code 99214—this code lists a "typical time" of 25 minutes. The level of history, physical examination, and medical decision making do not matter in selecting this code. Providers should consult third-party payers before instituting this coding practice to ensure compliance with specific plan guidelines.

A modifier 25 (significant, separately identifiable E/M service on the same day as a procedure or other service) is added to the E/M code to indicate that this service was significant and separately identifiable from the insertion. This indicates that two distinct services were provided: an E/M service and a procedure.

## Contraceptive Implant Coding: Specific Clinical Scenarios

### E/M Service and Implant Insertion

The following table illustrates coding when an implant insertion and an office visit occur at the same encounter. Under certain circumstances and when supported by documentation, it may be appropriate to report a CPT procedure code, an E/M code, and a HCPCS supply code for the one visit. Diagnostic codes are reported based on services provided, such as outpatient or preventive services, as appropriate.

#### ► Coding for Implant Insertion and E/M Service

CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>11981</b> Insertion, non-biodegradable drug delivery implant		<b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive
<b>992XX</b> E/M based either on the key components or time spent counseling	<b>25</b>	<b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive
HCPCS SUPPLY CODES		
<b>J7307</b> Etonogestrel (contraceptive) implant system, including implant and supplies		<b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive

OR

CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>11981</b> Insertion, non-biodegradable drug delivery implant		<b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive
<b>9939X</b> or <b>9938X</b> Preventive E/M service based on age and whether a new or established patient	<b>25</b>	<b>Z01.41-</b> Routine gynecological examination (series) <b>Z01.411</b> with abnormal findings <b>Z01.419</b> without abnormal findings <b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive
HCPCS SUPPLY CODES		
<b>J7307</b> Etonogestrel (contraceptive) implant system, including implant and supplies		<b>Z30.017</b> Encounter for initial prescription of implantable subdermal contraceptive

### Implant Reassessment

ICD-10-CM code Z30.46 (encounter for surveillance of implantable subdermal contraceptive) is assigned for a follow-up visit in the office to check, reinsert, or remove the implant. If the patient has symptoms, report these as secondary diagnoses. For example, code S40.021 (contusion of right upper arm) or other physical symptoms such as code R11.0 (nausea)

### Same Day Implant Removal and Reinsertion

The following chart shows coding when an implant is removed and a new one inserted during an office visit. When appropriate and supported by documentation, a CPT procedure code, an E/M code, and a HCPCS supply code are reported for the one visit.

#### ► Coding for Same Day Removal and Reinsertion of Implant with an E/M Service

CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>11983</b> Removal with reinsertion, non-biodegradable drug delivery implant		<b>Z30.46</b> Encounter for surveillance of implantable subdermal contraceptive
<b>992XX</b> E/M based either on the key components or time spent counseling	<b>25</b>	<b>Z30.46</b> Encounter for surveillance of implantable subdermal contraceptive
HCPCS SUPPLY CODES		
<b>J7307</b> Etonogestrel (contraceptive) implant system, including implant and supplies		<b>Z30.46</b> Encounter for surveillance of implantable subdermal contraceptive



# IUD Coding: Specific Clinical Scenarios

## E/M Service and IUD Insertion

The following table illustrates coding when an IUD insertion and an office visit occur at the same encounter. Under certain circumstances and when supported by documentation, it may be appropriate to report a CPT procedure code, an E/M code, and a HCPCS supply code for the one visit. Diagnostic codes are reported based on services provided, such as outpatient or preventive services, as appropriate.

### ► Coding for IUD Insertion and E/M Service

CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>58300</b> Insertion of IUD		<b>Z30.430</b> Encounter for insertion of intrauterine contraceptive device
<b>992XX</b> E/M based either on the key components or time spent counseling	<b>25</b>	<b>Z30.014</b> Encounter for initial prescription of intrauterine contraceptive device
HCPCS SUPPLY CODES		
<b>J7296</b> Levonorgestrel-releasing intrauterine contraceptive system (Kyleena®), 19.5 mg (5 year duration) <b>J7297</b> Levonorgestrel-releasing intrauterine contraceptive system (Liletta®), 52 mg (4 year duration) <b>J7298</b> Levonorgestrel-releasing intrauterine contraceptive system (Mirena®), 52 mg (5 year duration) <b>J7300</b> Intrauterine copper contraceptive (Paragard®) (10 year duration) <b>J7301</b> Levonorgestrel-releasing intrauterine contraceptive system (Skyla®), 13.5 mg (3 year duration)		<b>Z30.430</b> Encounter for insertion of intrauterine contraceptive device

OR (continued next page)



CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>58300</b> Insertion of IUD		<b>Z30.430</b> Encounter for insertion of intrauterine contraceptive device
<b>9939X</b> or <b>9938X</b> Preventive E/M service based on age and whether a new or established patient	<b>25</b>	<b>Z01.41-</b> Routine gynecological examination (series) <b>Z01.411</b> with abnormal findings <b>Z01.419</b> without abnormal findings <b>Z30.014</b> Encounter for initial prescription of intrauterine contraceptive device
HCPCS SUPPLY CODES		
<b>J7296</b> Levonorgestrel-releasing intrauterine contraceptive system (Kyleena®), 19.5 mg (5 year duration) <b>J7297</b> Levonorgestrel-releasing intrauterine contraceptive system (Liletta®), 52 mg (4 year duration) <b>J7298</b> Levonorgestrel-releasing intrauterine contraceptive system (Mirena®), 52 mg (5 year duration) <b>J7300</b> Intrauterine copper contraceptive (Paragard®) (10 year duration) <b>J7301</b> Levonorgestrel-releasing intrauterine contraceptive system (Skyla®), 13.5 mg (3 year duration)		<b>Z30.430</b> Encounter for insertion of intrauterine contraceptive device



### Use of Ultrasound

The performance of an ultrasound to check IUD placement is not bundled into the IUD insertion (code 58300), and it is not common practice to use ultrasound to confirm placement. Therefore, this should not be routinely billed. However, ultrasonography may be used to confirm the location of the IUD when the qualified clinician incurs a difficult IUD placement (e.g., severe pain, uterine perforation, etc.). If ultrasound is used, one of the following codes is added:

- Code 76857 Ultrasound, pelvic [nonobstetric], real time with image documentation; limited or follow-up, or
- Code 76830 Ultrasound, transvaginal

Occasionally, ultrasound is needed to guide IUD insertion. If ultrasound is used, add code 76998 (ultrasonic guidance, intraoperative).

### IUD Reassessment

ICD-10-CM code Z30.431 (encounter for routine checking of intrauterine contraceptive device) is assigned for a follow-up visit in the office to check the proper placement of the IUD.

### Difficult Insertions

The 22 modifier can be reported if the work required to insert an IUD is substantially greater than usual. The 22 modifier can also be reported in the case of an unsuccessful insertion followed by a successful insertion during the same surgical session. A modifier 22 is added to code 58300 (insertion of IUD) (i.e., 58300-22).

Documentation must support the substantial additional work and the reason for the additional work, such as: increased intensity or time, increased technical difficulty of performing the procedure, severity of patient's condition, increased physical and mental effort required. The qualified clinician should specifically document the total time of the procedure and how it compares with the typical duration of the procedure.

### Discontinued IUD Insertion

On occasion, a clinician may elect to discontinue the IUD insertion due to extenuating circumstances or a threat to the patient's well-being. A modifier 53 (discontinued procedure)

is added to code 58300 (insertion of IUD) (i.e., 58300-53). This modifier is used when a procedure is started but discontinued and no other procedure is performed during the visit.

Modifier 53 provides a way to receive partial payment for work performed before the procedure is discontinued. It is not necessary to reduce the fee. The payer will determine the fee for the service. The payer may require documentation showing how much work was actually performed. This modifier is also useful because it tells the payer that the procedure was unsuccessful. If the procedure is performed successfully at a later date, the payer will be more likely to recognize that the first claim (reported with a modifier 53) and the second one are not duplicates.

### Same Day IUD Removal and Reinsertion

The following chart shows coding when an IUD is removed and a new one inserted during an office visit. When appropriate and supported by documentation, two CPT procedure codes, an E/M code, and a HCPCS supply code are reported for the one visit. A modifier 51 (multiple procedures) is added to code 58300.

#### ► Coding for Same Day Removal and Reinsertion of IUD with an E/M Service

CPT PROCEDURES AND SERVICES	MODIFIER	DIAGNOSIS(ES)
<b>58301</b> Removal of IUD		
<b>58300</b> Insertion of IUD	<b>51</b>	<b>Z30.433</b> Encounter for removal and reinsertion of intrauterine contraceptive device
<b>992XX</b> E/M based either on the key components or time spent counseling	<b>25</b>	
HCPCS SUPPLY CODES		
<b>J7296</b> Levonorgestrel-releasing intrauterine contraceptive system (Kyleena®), 19.5 mg (5 year duration)		
<b>J7297</b> Levonorgestrel-releasing intrauterine contraceptive system (Liletta®), 52 mg (4 year duration)		
<b>J7298</b> Levonorgestrel-releasing intrauterine contraceptive system (Mirena®), 52 mg (5 year duration)		<b>Z30.433</b> Encounter for removal and reinsertion of intrauterine contraceptive device
<b>J7300</b> Intrauterine copper contraceptive (Paragard®) (10 year duration)		
<b>J7301</b> Levonorgestrel-releasing intrauterine contraceptive system (Skyla®), 13.5 mg (3 year duration)		

**The LARC Program**  
**American College of Obstetricians and Gynecologists**  
409 12th Street SW  
Washington DC 20024-2188

**[www.acog.org/larc](http://www.acog.org/larc)**



**The American College of  
Obstetricians and Gynecologists**  
WOMEN'S HEALTH CARE PHYSICIANS